

# MATERIAL SAFETY DATA SHEET • MSDS



## SECTION 1 • PRODUCT IDENTIFICATION

<b>TRADE NAME</b>	<b>DRESSING STICK</b>
<b>ANAMET PRODUCT NUMBER</b>	<b>152-X</b>
<b>CHEMICAL NAME</b>	
<b>MANUFACTURER / SUPPLIER'S NAME</b>	ANAMET
<b>ADDRESS</b>	P.O. Box 538 BOUCHERVILLE, QUÉBEC, J4B 6Y2
<b>TELEPHONE NO.</b>	(450) 646-1290
<b>EMERGENCY TELEPHONE NO.</b>	CANUTEC (613)996-6666

## SECTION II • COMPOSITION / INFORMATION ON COMPONENTS

Chemical characterization Description	CAS number	%	OSHA PEL (mg/m <sup>3</sup> )	ACGIH TLV (mg/m <sup>3</sup> )
Aluminum Oxide, Non Fibrous.	1344-28-1	30-97	15.	10
Amorphous Silica Fused.	60676-86-0	2-35	0.1	0.1.

**NOTE:** Ingredients are listed on the TSCA Inventory of Chemical Substances. Those not identified are non-hazardous.

## SECTION III • PHYSICAL / CHEMICAL CHARACTERISTICS

<b>Boiling point in °C</b>	Not applicable.	<b>Vapor pressure (mm Hg)</b>	Not applicable.
<b>Melting point in °C</b>	Not applicable.	<b>Vapor density (Air = 1)</b>	Not applicable.
<b>Density (Water = 1)</b>	Not applicable.	<b>Evaporation rate (Butyl acetate = 1)</b>	Not applicable.
<b>Solubility in water</b>	Not applicable.		
<b>Appearance and odor</b>	Solid article. Odorless		

## SECTION IV • FIRE / EXPLOSION HAZARD

<b>Flash point</b>	Product is not flammable.			
<b>Flammable limits</b>	<b>LEL</b>	Not applicable.	<b>UEL</b>	Not applicable.
<b>Extinguishing medium</b>	Not applicable.			
<b>Special fire fighting procedures</b>	None.			
<b>Unusual fire and explosion</b>	None.			

# MATERIAL SAFETY DATA SHEET • MSDS



hazards

## SECTION V • REACTIVITY

<b>Stability</b>	Stable.
<b>Incompatibility</b>	Avoid acids of all types with a pH 4.
<b>Hazardous decomposition products</b>	In use, dust and decomposing odors may be generated. In most cases, the material removed from the workplace will be significantly greater than the coated abrasives components.
<b>Hazardous Polymerization</b>	Will not occur.

## SECTION VI • TOXICOLOGICAL PROPERTIES OF PRODUCT

### A - SUGGESTED FIRST AID

<b>Eyes</b>	Immediately flush with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Get medical attention, if irritation or symptoms of overexposure persists..
<b>Skin</b>	Immediately wash skin with soap and plenty of water. Get medical attention if irritation develops or persists.
<b>Inhalation</b>	If dust from cutting or drilling is inhaled, remove the affected person to fresh air. If symptoms persist, get medical attention.
<b>Ingestion</b>	Accidental ingestion of this material is unlikely,. If this does occur, watch person for several days to make sure intestinal blockage does not occur. If symptoms persist, call a physician.

### B – TOXICOLOGICAL INFORMATION

**PRIMARY ENTRY ROUTES:** Inhalation.

#### • SHORT TERM EXPOSURE

<b>Eyes</b>	Dust May cause slight irritation.
<b>Skin</b>	Dust from this product may cause temporary mechanical irritation
<b>Inhalation</b>	Dusts from this product may cause mechanical irritation of the nose, throat and respiratory tract.
<b>Ingestion</b>	Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal and disturbances.

#### • LONG TERM EXPOSURE

<b>Carcinogenicity</b>	None.
<b>Teratogenicity, Mutagenicity and other reproductive effects</b>	None.
<b>Skin Sensitization</b>	None.

# MATERIAL SAFETY DATA SHEET • MSDS



Respiratory tract sensitization	None.
Synergistic materials	None.

## SECTION VII • PRECAUTIONARY INFORMATION PERSONAL PROTECTIVE MEASURES

Eyes, face & hands	Wear safety glasses. See OSHA 29 CFR1910.33.
Respiratory Ventilation	Respirators are required when airborne contaminant levels exceed the TLV. Do not use without adequate ventilation (OSHA 29CFR1910.94) (OSHA 29CFR1910.1000) (OSHA CFR1910.213) (OSHA 1910.243). Use adequate local and mechanical exhaust ventilation.
Hearing	As needed in accordance with OSHA 1910-134
HMIS Ratings	Santé: 1 Inflammabilité: 0 Réactivité: 1

## SECTION VIII • SAFETY PRECAUTIONS IN CASE OF LEAKS OR SPILLS

Spill or leak procedure	Use ordinary precautions for dusts and particulates.
Waste disposal	Disposal should be in accordance with local, state, or national legislation. Incinerate under approved controlled conditions.

## SECTION IX • STORAGE AND HANDLING

Storage	Store the abrasives in moderate constant temperature and humidity conditions.
Handling	Because of the possibility of abrasions use normal hand, face and body protection.
Shipping classification DOT hazard class	<ul style="list-style-type: none"> <li>• <b>Dot Shipping Name:</b> Not regulated.</li> <li>• <b>TDG/UN Shipping Names:</b> Not regulated.</li> <li>• <b>UN Number:</b> Not regulated.</li> <li>• <b>Hazard Class:</b> Not regulated.</li> <li>• <b>Packing Group:</b> Not regulated.</li> <li>• <b>TDG Exemption:</b> Not regulated.</li> <li>• <b>Label:</b> Not regulated.</li> <li>• <b>IATA Class:</b> Not regulated.</li> <li>• <b>IMDG Class:</b> Not regulated.</li> </ul>
HMIS Coding	Santé: 1 Inflammabilité: 0 Réactivité: 1

## SECTION X • ECOLOGICAL INFORMATION

Environmental Fate and Distribution	Not established.
Persistence and Degradation	Not established.
Toxicity	Not established.

# MATERIAL SAFETY DATA SHEET • MSDS



Effect of effluent treatment

Not established.

## SECTION XI • REGULATORY INFORMATION

### • EC REGULATIONS:

TSCA STATUS: On Toxic Substance Control Inventory.

CERCLA REPORTABLE QUANTITY: None.

SARA TITLE III

- Section 302: None.
- Section 311/312: None.
- Section 313: None.

RCRA STATUS: Not regulated.

### • CANADIAN REGULATIONS:

WHMIS Classification: Not regulated.

Anamet Inc. declines all warranties of description, merchantability or fitness for a particular purpose or any other warranties expressed or implied. All information contained in this data sheet result from figures supplied by the merchant and/or other recognized technical sources. Although this information is presumed to be complete and exact, Anamet Inc. does not guaranty any of the claims expressed or implied. Since the use of this product is not supervised by Anamet Inc., users are therefore responsible to verify if the product is designed for their particular application. They must also assume all risks associated with its use, manipulation and the elimination of the product as well as those arising from the publication, utilization or exactitude of the information contained in the present data sheet. This information pertains only of the product referred to in this specific data sheet and does not apply to its use in combination with other products or in any other process. In no event Anamet Inc., will be liable for incidental or consequential damages resulting from the use or misuse of this product.



## **TERMINOLOGY**

**ACGIH:** American Conference of Governmental Industrial Hygienists

**CAS:** Chemical Abstract Service

**CFR:** Code of Federal Regulations (Transportation in U.S.A.)

**DOT:** Department of Transportation (USA)

**DSL:** Domestic Substance List

**IARC:** International Agency for Research and Cancer

**LC:** Lethal Concentration

**LD:** Lethal Dosage

**MSHA:** Mine Safety and Health Administration (USA)

**NIOSH:** National Institute for Occupational Safety and Health (USA)

**NTP:** National Toxicology Program (U.S.A.)

**OSHA:** Occupational Safety and Health Administration (USA)

**PEL:** Permissible exposure limit.

**STEL:** Short term exposure limit.

**TDG:** Transportation of Dangerous Goods

**TLV:** Threshold limits value.

**TSCA:** Toxic Substances Control Act

**TWA:** Time-weighted average

**USEPA:** United States Environmental Protection Agency

**WHMIS:** Workplace Hazardous Materials Information System