

SECTION I • PRODUCT IDENTIFICATION			
TRADE NAME	TECHNOVIT 4071, RESIN		
ANAMET PRODUCT NUMBER	237-R		
CHEMICAL NAME			
MANUFACTURER / SUPPLIER'S NAME ADDRESS	ANAMET P.O. Box 538 BOUCHERVILLE, QUÉBEC, J4B 6Y2		
TELEPHONE NO.	(450) 646-1290		
EMERGENCY TELEPHONE NO.	CANUTEC (613)-996-6666		

#### **SECTION II** • COMPOSITION / INFORMATION ON COMPONENTS

Chemical characterization Description	CAS number	%	OSHA PEL (mg/m <sup>3</sup> )	ACGIH TLV (mg/m <sup>3</sup> )
Dibenzoyl Peroxide.	94-36-0	0-5	Not available.	Not available.
Dicyclohexyl Phthalate.	84-61-7	0-5	Not available.	Not available.
<b>NOTE:</b> Ingredients are listed identified are non-hazardous.	on the TSCA Inv	entory of	Chemical Substand	ces. Those not

#### **SECTION III •** *PHYSICAL / CHEMICAL CHARACTERISTICS*

Boiling point in °C	Not	Vapor pressure	Not
	established.	(mm Hg)	available.
Melting point in °C	Not	Vapor density (Air = 1)	Not
	established.		available.
Density	Not	Evaporation rate	Not
(Water = 1)	applicable.	(Butyl acetate= 1)	applicable.
Solubility in water	Insoluble		
Appearance and odor	Powder, Green Color, odorless.		



#### SECTION IV • FIRE / EXPLOSION HAZARD

Flash point	Not applicable.
Flammable limits	LEL Not applicable. UEL Not applicable
Extinguishing	Carbon dioxide, extinguishing powder or water jet. Fight larger fires
medium	with water jet or alcohol-resistant foam, water, foam, dry chemical,
	carbon dioxide.
Special fire fighting	Wear self-contained breathing apparatus.
procedures	
Unusual fire and	Toxic fumes of carbon monoxide and carbon dioxide. Material may
explosion hazards	decompose to form flammable or explosive mixtures in the air.

#### SECTION V • REACTIVITY

Stability	Stable at normal temperatures and storage conditions.		
Conditions to avoid	Avoid using product in totally unventilated areas.		
Incompatibility	No dangerous reactions known.		
Hazardous decomposition products	No decomposition if used and stored according to specifications.		
Hazardous polymerization products	Polymerization will not occur.		

#### SECTION VI • TOXICOLOGICAL PROPERTIES OF PRODUCT A - SUGGESTED FIRST AID

Eyes	Flush eyes with plenty of water for at least 15 minutes; call a physician.	
Skin	Flush skin with water and soap after contact. Wash contaminated clothing	
	before reuse.	
Inhalation	No specific intervention is indicated as compound is not likely to be hazardous	
	by inhalation. Consult a physician if necessary.	
Ingestion	Initiate vomiting. Consult a physician.	
B – TOXICOLOGICAL INFORMATION		
PRIMARY ENTRY ROUTES: Inhalation, ingestion, skin, and eye contact.		
▼ SHORT	TERM EXPOSURE ▼	
Eyes	Can be irritating.	
Skin	Sensitization possible by skin contact.	
Inhalation	Gross overexposure to nuisance particles, regardless of how generated, may	
	cause a slight irritation to the respiratory tract.	
Ingestion	There is no information on the ingestion toxicity of the powder.	
_	Ingestion is not a probable route of exposure.	



#### ▼ LONG TERM EXPOSURE ▼

Carcinogenicity	Not available.
Teratogenicity, Mutagenicity and other reproductive effects	None.
Skin Sensitization	Except for skin sensitization, repeated exposures to low molecular weight acrylic resins of this type are not anticipated to cause any significant adverse effects.
Respiratory tract sensitization	Not available.
Synergistic materials	Not available.

#### **SECTION VII** • *PRECAUTIONARY INFORMATION* PERSONAL PROTECTIVE MEASURES

Eye, face & hands	Safety glasses. Long sleeve shirt, gloves.	
Respiratory	Wear suitable respiratory protective equipment if exposure to levels	
protection	above the occupational exposure limit is likely. A suitable mask with	
	filter type A may be appropriate. In the event of formation of particularly	
	high levels of vapor a self-contained breathing apparatus may be	
	appropriate.	
Ventilation	Provide adequate ventilation, including appropriate local extraction, to	
	insure that the defined occupational exposure limit is not exceeded.	
	Consideration should be given to the work procedures involved and the	
	potential extent of exposure as they may determine whether a higher	
	level of protection is required.	
Hearing	As needed in accordance with OSHA 1910-215.	
HMIS Coding	Health: 0 Flammability: 0 Reactivity: 0	

#### **SECTION VIII** • SAFETY PRECAUTIONS IN CASE OF LEAKS OR SPILLS

Spill or	Vacuum or sweep with sweeping compound, sawdust or sand. Avoid	
leak procedure	generating dust. Ventilate area and wash spill after the material has been	
	picked up.	
Waste disposal	Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, Provincial, and Municipal regulations.	
	Incinerate in a facility which complies with Federal, Provincial and Municipal requirements. Do not incinerate in closed containers.	



#### SECTION IX • STORAGE AND HANDLING

Storage	Keep in a cool, well ventilated place. Preferably not exceeding 25°C (77°F).	
Handling	Avoid contact with skin and eyes. Avoid inhalation of high concentration of vapors. Use in well ventilated area. Keep container closed to prevent water absorption and contamination.	
Shipping	Dot Shipping Name: Not regulated.	
classification	TDG/UN Shipping Names: Not regulated.	
	UN Number: Not regulated.	
DOT	Hazard Class: Not regulated.	
Hazard class	Packing Group: Not regulated.	
	TDG Exemption: Not regulated.	
	Label: Not regulated.	
	IATA Class: Not regulated.	
	IMDG Class: Not regulated.	
HMIS Coding	Health: 0 Flammability: 0 Reactivity: 0	

#### SECTION X • ECOLOGICAL INFORMATION

Environmental Fate and Distribution	None listed.
Persistence and Degradation	None listed.
Toxicity	Not toxic.
Effect of effluent treatment	None known.

#### SECTION XI • REGULATORY INFORMATION

#### • EC REGULATIONS:

TSCA: On Toxic Substance Control Inventory.
CERCLA Reportable Quantity: None
SARA TITLE III
Section 302 : None
Section 311/312: None.
Section 313: None.

RCRA STATUS: Not regulated.

#### CANADIAN REGULATIONS:

WHMIS Classification: Not regulated.



Anamet Inc. declines all warranties of description, merchantability or fitness for a particular purpose or any other warranties expressed or implied. All information contained in this data sheet result from figures supplied by the merchant and/or other recognized technical sources. Although this information is presumed to be complete and exact, Anamet Inc. does not guaranty any of the claims expressed or implied. Since the use of this product is not supervised by Anamet Inc., users are therefore responsible to verify if the product is designed for their particular application. They must also assume all risks associated with its use, manipulation and the elimination of the product as well as those arising from the publication, utilization or exactitude of the information contained in this specific data sheet. This information pertains only of the product referred to in this specific data sheet and does not apply to its use in combination with other products or in any other process. In no event Anamet Inc., will be liable for incidental or consequential damages resulting from the use or misuse of this product.



### TERMINOLOGY

- ACGIH: American Conference of Governmental Industrial Hygienists
- CAS: Chemical Abstract Service
- CFR: Code of Federal Regulations (Transportation in U.S.A.)
- **DOT:** Department of Transportation (USA)
- **DSL:** Domestic Substance List
- IARC: International Agency for Research and Cancer
- LC: Lethal Concentration
- LD: Lethal Dosage
- MSHA: Mine Safety and Health Administration (USA)
- NIOSH: National Institute for Occupational Safety and Health (USA)
- NTP: National Toxicology Program (U.S.A.)
- **OSHA:** Occupational Safety and Health Administration (USA)
- PEL: Permissible exposure limit.
- **STEL:** Short term exposure limit.
- **TDG:** Transportation of Dangerous Goods
- **TLV:** Threshold limits value.
- TSCA: Toxic Substances Control Act
- TWA: Time-weighted average
- **USEPA:** United States Environmental Protection Agency
- WHMIS: Workplace Hazardous Materials Information System