

# MATERIAL SAFETY DATA SHEET • MSDS



## SECTION 1 • PRODUCT IDENTIFICATION

|                              |  |
|------------------------------|--|
| <b>TRADE NAME</b>            | <b>SILICON CARBIDE<br/>ABRASIVE DISCS</b>  |
| <b>ANAMET PRODUCT NUMBER</b> | <b>402-X<br/>( GRIT 800 to 1200 only )</b> |

**CHEMICAL NAME****MANUFACTURER / SUPPLIER'S NAME  
ADDRESS**ANAMET  
P.O. Box 538  
BOUCHERVILLE, QUÉBEC, J4B 6Y2**TELEPHONE NO.**

(450) 646-1290

**EMERGENCY TELEPHONE NO.****CANUTEC (613) 996-6666**

## SECTION II • COMPOSITION / INFORMATION ON COMPONENTS

| <b>Chemical characterization<br/>Description</b> | <b>CAS number</b>  | <b>%</b> | <b>OSHA PEL<br/>(mg/m<sup>3</sup>)</b> | <b>ACGIH TLV<br/>(mg/m<sup>3</sup>)</b> |
|--|--------------------|----------|--|---|
| Silicon carbide.                                 | 409-21-2           | 15-45    | Chemically inert.                      | ---                                     |
| Paper.<br>(Backing)                              | Not<br>applicable. | 20-65    | Not<br>Applicable.                     | Not<br>Applicable.                      |

**NOTE:** Ingredients are listed on the TSCA Inventory of Chemical Substances. Those not identified are non-hazardous.

## SECTION III • PHYSICAL / CHEMICAL CHARACTERISTICS

|                                |   |   |                    |
|--------------------------------|---|---|--------------------|
| <b>Boiling point in °C</b>     | Not<br>Applicable.                        | <b>Vapor pressure<br/>(mm Hg)</b>               | Not<br>Applicable. |
| <b>Melting point in °C</b>     | Not<br>Applicable.                        | <b>Vapor density (Air = 1)</b>                  | Not<br>Applicable. |
| <b>Density<br/>(Water = 1)</b> | Not<br>Applicable.                        | <b>Evaporation rate<br/>(Butyl acetate = 1)</b> | Not<br>Applicable. |
| <b>Solubility in water</b>     | Insoluble.                                |   |                    |
| <b>Appearance and odor</b>     | Dark gray to black / Trace chemical odor. |   |                    |

# MATERIAL SAFETY DATA SHEET • MSDS



## SECTION IV • FIRE / EXPLOSION HAZARD

|                                    |   |                 |     |                 |
|------------------------------------|---|-----------------|-----|-----------------|
| Flash point                        | Not applicable.                               |                 |     |                 |
| Flammable limits                   | LEL   | Not applicable. | UEL | Not Applicable. |
| Extinguishing medium               | Water, carbon dioxide, foam and dry chemical. |                 |     |                 |
| Special fire fighting procedures   | Not applicable.                               |                 |     |                 |
| Unusual fire and explosion hazards | Not applicable.                               |                 |     |                 |

## SECTION V • REACTIVITY

|                                  |   |
|----------------------------------|---|
| Stability                        | Stable.   |
| Conditions to avoid              | Avoid using product in totally unventilated area.   |
| Incompatibility                  | Strong acids, strong bases, and strong oxidizing agents may modify the mechanical characteristics of the products and create safety hazards when used on machines.              |
| Hazardous decomposition products | In use, dust and decomposing odors may be generated. In most cases, the material removed from the workplace will be significantly greater than the coated abrasives components. |
| Hazardous Polymerization         | Will not occur.   |

## SECTION VI • TOXICOLOGICAL PROPERTIES OF PRODUCT

### A - SUGGESTED FIRST AID

|            |   |
|------------|---|
| Eyes       | Immediately flush with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Get medical attention, if irritation or symptoms of overexposure persists. |
| Skin       | Immediately wash skin with soap and plenty of water. Get medical attention if irritation develops or persists.  |
| Inhalation | If dust from cutting or drilling is inhaled, remove the affected person to fresh air. If symptoms persist, get medical attention.   |
| Ingestion  | Accidental ingestion of this material is unlikely. If this does occur, watch person for several days to make sure intestinal blockage does not occur. If symptoms persist, call a physician.                                  |

### B – TOXICOLOGICAL INFORMATION

**PRIMARY ENTRY ROUTES:** Inhalation.

#### • SHORT TERM EXPOSURE

|      |                                   |
|------|-----------------------------------|
| Eyes | Dust May cause slight irritation. |
|------|-----------------------------------|

# MATERIAL SAFETY DATA SHEET • MSDS



|                   |   |
|-------------------|---|
| <b>Skin</b>       | Dust from this product may cause temporary mechanical irritation  |
| <b>Inhalation</b> | Dusts from this product may cause mechanical irritation of the nose, throat and respiratory tract.                  |
| <b>Ingestion</b>  | Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal and disturbances. |

## • LONG TERM EXPOSURE

|  |  |
|--|--|
| <b>Carcinogenicity</b>   | None.  |
| <b>Teratogenicity, Mutagenicity and other reproductive effects</b> | None.  |
| <b>Skin Sensitization</b>  | None.  |
| <b>Respiratory tract sensitization</b>                             | Dust may slightly be irritating to the respiratory tract at high concentrations. |
| <b>Synergistic materials</b>                                       | None.  |

## SECTION VII • PRECAUTIONARY INFORMATION PERSONAL PROTECTIVE MEASURES

|                               |  |
|-------------------------------|--|
| <b>Eyes, face &amp; hands</b> | Recommend standard face and eye protection at all times while using abrasive belts.  |
| <b>Respiratory</b>            | As needed, use approved dust respirator (OSHA CFR1910.134)   |
| <b>Ventilation</b>            | Do not use without adequate ventilation (OSHA 29CFR1910.94) (OSHA 29CFR1910.1000) (OSHA CFR1910.213) (OSHA 1910.243). Use adequate local and mechanical exhaust ventilation. |
| <b>Hearing</b>                | As needed in accordance with OSHA 1910-215.  |
| <b>HMIS Ratings</b>           | Health : 1      Fire : 0      Reactivity : 0   |

## SECTION VIII • SAFETY PRECAUTIONS IN CASE OF LEAKS OR SPILLS

|                                |   |
|--------------------------------|---|
| <b>Spill or leak procedure</b> | Use ordinary precautions for dusts and particulates.  |
| <b>Waste disposal</b>          | Disposal should be in accordance with local, state, or national legislation. Incinerate under approved controlled conditions. |

## SECTION IX • STORAGE AND HANDLING

|                 |  |
|-----------------|--|
| <b>Storage</b>  | Store coated abrasives in moderate constant temperature and humidity conditions.             |
| <b>Handling</b> | Because of the possibility of abrasions use normal hand, face and body protection.           |
| <b>Shipping</b> | <ul style="list-style-type: none"> <li>• <b>Dot Shipping Name:</b> Not regulated.</li> </ul> |

# MATERIAL SAFETY DATA SHEET • MSDS



|  |  |
|--|--|
| <b>classification</b><br><b>DOT</b><br><b>hazard class</b> | <ul style="list-style-type: none"><li>• <b>TDG/UN Shipping Names:</b> Not regulated.</li><li>• <b>UN Number:</b> Not regulated.</li><li>• <b>Hazard Class:</b> Not regulated.</li><li>• <b>Packing Group:</b> Not regulated.</li><li>• <b>TDG Exemption:</b> Not regulated.</li><li>• <b>Label:</b> Not regulated.</li><li>• <b>IATA Class:</b> Not regulated.</li><li>• <b>IMDG Class:</b> Not regulated.</li></ul> |
| <b>HMIS Coding</b>   | Health: 1 Flammability: 0 Reactivity: 0  |

## SECTION X • ECOLOGICAL INFORMATION

|  |                  |
|--|------------------|
| <b>Environmental Fate and Distribution</b> | Not established. |
| <b>Persistence and Degradation</b>         | Not established. |
| <b>Toxicity</b>                            | Not established. |
| <b>Effect of effluent treatment</b>        | Not established. |

## SECTION XI • REGULATORY INFORMATION

### • EC REGULATIONS:

TSCA STATUS: On Toxic Substance Control Inventory.  
CERCLA REPORTABLE QUANTITY: None.  
SARA TITLE III

- Section 302: None.
- Section 311/312: None.
- Section 313: None.

RCRA STATUS: Not regulated.

### • CANADIAN REGULATIONS:

WHMIS Classification: Not regulated.

# MATERIAL SAFETY DATA SHEET • MSDS

Anamet Inc. declines all warranties of description, merchantability or fitness for a particular purpose or any other warranties expressed or implied. All information contained in this data sheet result from figures supplied by the merchant and/or other recognized technical sources. Although this information is presumed to be complete and exact, Anamet Inc. does not guaranty any of the claims expressed or implied. Since the use of this product is not supervised by Anamet Inc., users are therefore responsible to verify if the product is designed for their particular application. They must also assume all risks associated with its use, manipulation and the elimination of the product as well as those arising from the publication, utilization or exactitude of the information contained in the present data sheet. This information pertains only of the product referred to in this specific data sheet and does not apply to its use in combination with other products or in any other process. In no event Anamet Inc., will be liable for incidental or consequential damages resulting from the use or misuse of this product.



## **TERMINOLOGY**

**ACGIH:** American Conference of Governmental Industrial Hygienists

**CAS:** Chemical Abstract Service

**CFR:** Code of Federal Regulations (Transportation in U.S.A.)

**DOT:** Department of Transportation (USA)

**DSL:** Domestic Substance List

**IARC:** International Agency for Research and Cancer

**LC:** Lethal Concentration

**LD:** Lethal Dosage

**MSHA:** Mine Safety and Health Administration (USA)

**NIOSH:** National Institute for Occupational Safety and Health (USA)

**NTP:** National Toxicology Program (U.S.A.)

**OSHA:** Occupational Safety and Health Administration (USA)

**PEL:** Permissible exposure limit.

**STEL:** Short term exposure limit.

**TDG:** Transportation of Dangerous Goods

**TLV:** Threshold limits value.

**TSCA:** Toxic Substances Control Act

**TWA:** Time-weighted average

**USEPA:** United States Environmental Protection Agency

**WHMIS:** Workplace Hazardous Materials Information System