MATERIAL SAFETY DATA SHEET · MSDS





SECTION 1 • PRODUCT IDENTIFICATION

TRADE NAME DIAMOND GRINDING DISC

ANAMET PRODUCT NUMBER 471-X

CHEMICAL NAME

MANUFACTURER / SUPPLIER'S NAME ANAMET ADDRESS P.O. Box 538

BOUCHERVILLE, QUÉBEC, J4B 6Y2

TELEPHONE NO. (450) 646-1290

EMERGENCY TELEPHONE NO. CANUTEC (613) 996-6666

SECTION II • COMPOSITION / INFORMATION ON COMPONENTS

Chemical characterization Description	CAS number	%	OSHA PEL (mg/m³)	ACGIH TLV (mg/m³)
Diamond.	7782-40-3	1-4	Not applicable.	Not applicable.
NOTE: Ingredients are listed on the TSCA Inventory of Chemical Substances. Those not				

NOTE: Ingredients are listed on the TSCA Inventory of Chemical Substances. Those not identified are non-hazardous.

SECTION III • PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling point in °C	Not	Vapor pressure	Not
Boiling point in *C	Applicable.	(mm Hg)	Applicable.
Melting point in ^o C	Not	Vapor density (Air = 1)	Not
	Applicable.		Applicable.
Density	- 1	Evaporation rate	Not
(Water = 1)	>1	(Butyl acetate = 1)	Applicable.
Solubility in water	Insoluble.		
Appearance and odor	Colored disc / C	Odorless.	







SECTION IV • FIRE / EXPLO	OSION HAZARD
---------------------------	--------------

Flash point	Not applicable	9.		
Flammable limits	l Fl	Not	UEL	Not
		applicable.	ULL	Applicable.
Extinguishing medium	Fog water, carbon dioxide, foam and dry chemical.			
Special fire fighting procedures	Not applicable.			
Unusual fire and explosion hazards	Not established.			

SECTION V • *REACTIVITY*

Stability	Stable.
Conditions to avoid	Avoid using the product in totally unventilated area.
Incompatibility	Avoid contact with acids.
Hazardous decomposition products	Carbon monoxide and carbon dioxide.
Hazardous Polymerization	Will not occur.

SECTION VI • TOXICOLOGICAL PROPERTIES OF PRODUCT

A - SUGGESTED FIRST AID

	V V
Eyes	Immediately flush with plenty of water for at least 15 to 20 minutes. Ensure
	adequate flushing of the eyes by separating the eyelids with fingers. Get
	medical attention, if irritation or symptoms of overexposure persists
Skin	Immediately wash skin with soap and plenty of water. Get medical attention if
	irritation develops or persists.
Inhalation	If dust from cutting or drilling is inhaled, remove the affected person to fresh air.
	If symptoms persist, get medical attention.
Ingestion	Accidental ingestion of this material is unlikely, If this does occur, watch person
_	for several days to make sure intestinal blockage does not occur. If symptoms
	persist, call a physician.

B - TOXICOLOGICAL INFORMATION

B - TOXICOLOGICAL INFORMATION		
PRIMARY ENTRY ROUTES: Inhalation.		
 SHORT TER 	RM EXPOSURE	
Eyes	Dust May cause slight irritation.	
Skin	Dust from this product may cause temporary mechanical irritation	
Inhalation	Dusts from this product may cause mechanical irritation of the nose, throat	
	and respiratory tract.	
Ingestion	Ingestion of this product is unlikely. However, ingestion of product may	
	produce gastrointestinal and disturbances.	







• LONG	TERM	EXPOS	SURE
--------	------	--------------	------

Carcinogenicity	Not established.
Teratogenicity, Mutagenicity and other reproductive effects	Not established.
Skin Sensitization	Not established.
Respiratory tract sensitization	Not established.
Synergistic materials	Not established.

SECTION VII • PRECAUTIONARY INFORMATION PERSONAL PROTECTIVE MEASURES

Eyes, face	Recommend standard face and eye protection at all times while using abrasive
& hands	products.
Respiratory	As needed, use approved dust respirator (OSHA CFR1910.134)
Ventilation	Do not use without adequate ventilation (OSHA 29CFR1910.94) (OSHA 29CFR1910.1000) (OSHA CFR1910.213) (OSHA 1910.243). Use adequate local and mechanical exhaust ventilation.
Hearing	As needed in accordance with OSHA 1910-215.
HMIS Ratings	Health: 0 Fire: 0 Reactivity: 0

SECTION VIII • SAFETY PRECAUTIONS IN CASE OF LEAKS OR SPILLS

Spill or leak procedure	Use ordinary precautions for dusts and particulates.
Waste disposal	Disposal should be in accordance with local, state, or national legislation.
	Incinerate under approved controlled conditions.

SECTION IX • STORAGE AND HANDLING

Storage	No information.		
Handling	Because of the possibility of abrasions use normal hand, face and body		
	protection.		
Shipping	Dot Shipping Name: Not regulated.		
classification	TDG/UN Shipping Names: Not regulated.		
DOT	UN Number: Not regulated.		
hazard class	Hazard Class: Not regulated.		
	Packing Group: Not regulated.		
	TDG Exemption: Not regulated.		
	Label: Not regulated.		
	IATA Class: Not regulated.		
	IMDG Class: Not regulated.		
HMIS Coding	Health: 0 Flammability: 0 Reactivity: 0		

MATERIAL SAFETY DATA SHEET • MSDS



SECTION X • ECOLOGICAL INFORMATION

Environmental Fate and Distribution	Not established.
Persistence and Degradation	Not established.
Toxicity	Not established.
Effect of effluent treatment	Not established.

SECTION XI • REGULATORY INFORMATION

EC REGULATIONS:

TSCA STATUS: On Toxic Substance Control Inventory.

CERCLA REPORTABLE QUANTITY: None.

SARA TITLE III

• Section 302: None.

• Section 311/312: None.

Section 313: None.

RCRA STATUS: Not regulated.

CANADIAN REGULATIONS:

WHMIS Classification: Not regulated.

MATERIAL SAFETY DATA SHEET • MSDS





Anamet Inc. declines all warranties of description, merchantability or fitness for a particular purpose or any other warranties expressed or implied. All information contained in this data sheet result from figures supplied by the merchant and/or other recognized technical sources. Although this information is presumed to be complete and exact, Anamet Inc. does not quaranty any of the claims expressed or implied. Since the use of this product is not supervised by Anamet Inc., users are therefore responsible to verify if the product is designed for their particular application. They must also assume all risks associated with its use, manipulation and the elimination of the product as well as those arising from the publication, utilization or exactitude of the information contained in the present data sheet. information pertains only of the product referred to in this specific data sheet and does not apply to its use in combination with other products or in any other process. In no event Anamet Inc., will be liable for incidental or consequential damages resulting from the use or misuse of this product.



TERMINOLOGY

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Service

CFR: Code of Federal Regulations (Transportation in U.S.A.)

DOT: Department of Transportation (USA)

DSL: Domestic Substance List

IARC: International Agency for Research and Cancer

LC: Lethal Concentration

LD: Lethal Dosage

MSHA: Mine Safety and Health Administration (USA)

NIOSH: National Institute for Occupational Safety and Health (USA)

NTP: National Toxicology Program (U.S.A.)

OSHA: Occupational Safety and Health Administration (USA)

PEL: Permissible exposure limit.

STEL: Short term exposure limit.

TDG: Transportation of Dangerous Goods

TLV: Threshold limits value.

TSCA: Toxic Substances Control Act

TWA: Time-weighted average

USEPA: United States Environmental Protection Agency

WHMIS: Workplace Hazardous Materials Information System

Revised date: January 2015

SAFETY DATA SHEET / DIAMOND GRINDING DISC