

**SECTION 1 • PRODUCT IDENTIFICATION** 

TRADE NAME DIAMOND SUSPENSIONS

ANAMET PRODUCT NUMBER 50X-DIAMEXT

CHEMICAL NAME

MANUFACTURER / SUPPLIER'S NAME ANAMET ADDRESS P.O. Box 538

BOUCHERVILLE, QUÉBEC, J4B 6Y2

**TELEPHONE NO.** (450) 646-1290 **EMERGENCY TELEPHONE NO.** (**613) 996-6666** 

**SECTION II • COMPOSITION / INFORMATION ON COMPONENTS** 

Chemical characterization Description	CAS number	%	OSHA PEL	ACGIH TLV
Ethanol	64-17-5	60-95	1900 ppm	1900 ppm

**NOTE:** Ingredients are listed on the TSCA Inventory of Chemical Substances. Those not identified are non-hazardous.

**SECTION III • PHYSICAL / CHEMICAL CHARACTERISTICS** 

Boiling point in °C	1	Vapor pressure (mm Hg)	Negligible
Melting point in °C	Not applicable.	Vapor density (Air = 1)	Not available.
Specific Gravity (Water = 1)	1.0-1.05	Evaporation rate (Butyl acetate= 1)	Water.
Solubility in water	Soluble.		
Appearance and odor	Colored liquid / Alcohol odor.		

Revised date: January 2012

SAFETY DATA SHEET / DIAMEXT



#### **SECTION IV** • FIRE / EXPLOSION HAZARD

Flash point	16 °C (60 °F	<del>-</del> ).		
Flammable limits	UPPER	3.3 %.	LOWER	9 %.
Extinguishing medium	Carbon diox	ide, foam dry	chemical, water	spray.
Special fire fighting procedures		•	equipment and	self-contained
	breathing app	paratus.		
Unusual fire / explosion hazards			ormed at room	
	Vapors are	heavier than a	ir and may trave	el along the
	floor line. V	apor may ignit	e by spark, hot	surfaces or
	ember.			

### **SECTION V** • *REACTIVITY*

Stability	Stable.
Conditions to avoid	Avoid contamination with strong acids and bases. Avoid heat
	and open flames
Incompatibility	Strong oxidizing materials, hypochlorite and chlorine.
Hazardous	Not established.
decomposition products	not established.
Hazardous Polymerization	Will not occur.

### **SECTION VI • TOXYCOLOGICAL PROPERTIES OF PRODUCT**

#### A - SUGGESTED FIRST AID

Eyes	Wash with large amounts of water and obtain medical assistance if irritation persists.
Skin	Wash with soap and water. If irritation persists, obtain medical assistance.
Inhalation	Remove to fresh air and obtain medical assistance.
Ingestion	Obtain medical attention. Do not induce vomiting.
Ingestion	

**NOTE TO PHYSICIANS**: This product contains methanol. Methanol is metabolized to formaldehyde and formic acid. The metabolites may cause metabolic acidosis, visual disturbances and blindness. Since metabolism is required for these toxic symptoms, their Onset may be delayed from 6 to 30 hours following ingestion. Ethanol competes for the same metabolic pathway and has been used as an antidote. Methanol is effectively removed by hem dialysis

### **B** - TOXICOLOGICAL INFORMATION

	PRIMARY ENTRY ROUTES: Inhalation, skin and eye contact.
<ul> <li>SHORT TE</li> </ul>	RM EXPOSURE
Eyes	The liquid or fumes may irritate the eyes. Symptoms may include burning,
	watery eyes, redness and inflammation.
Skin	May cause skin irritation.



Inhalation	Excessive inhalation of vapors can cause nasal and respiratory irritation and central nervous systems effects including dizziness, weakness, fatigue nausea, headache and possible unconsciousness.		
Ingestion	Can cause gastrointestinal irritation, nausea, vomiting, diarrhea, blindness and death.		
<ul> <li>LONG TER</li> </ul>	LONG TERM EXPOSURE		
Carcinogeni	nicity Not established.		
	city, Mutagenicity and Not established.		
Skin Sensiti	Prolonged contact may cause skin abrasion.		
Respiratory	y tract sensitization May slightly be irritating to the respiratory tract.		
Synergistic	ic materials Not established.		

# **SECTION VII • PRECAUTIONARY INFORMATION PERSONAL PROTECTIVE MEASURES**

Eyes, face & hands	The port of protection for the eyes (chemical goggles / face shield)		
•	is recommended. The use of appropriate gloves (PVS/laminate of		
	polyethylene or gloves PVA) is also recommended.		
Respiratory protection	Avoid breathing the mists; use a respirator approved for		
	dusts/mists.		
Ventilation	Use with adequate ventilation including adapted local extraction.		
	This is to ensure not to exceed exposure limits defined.		
Hearing	As needed in accordance with OSHA 1910-215.		
HMIS Hazard Ratings	Health: 1 Flammability: 3 Reactivity: 0		

SECTION VIII • SAFETY PRECAUTIONS IN CASE OF LEAKS OR SPILLS				
Spill or	Ventilate area of leak or spill. Small spill can be picked up with vermiculite			
leak procedure	or other absorbent, noncombustible material. Contain liquid to prevent			
-	further contamination of soil, surface water or ground water.			
Waste disposal	Disposal should be in accordance with local, state, or national legislation.			
	Incinerate under approved controlled conditions.			

SECTION IX • STORAGE AND HANDLING		
Storage	Store in cool, well ventilated dry area.	
Handling	Avoid contact with skin and eyes.	
Shipping classification	Dot Shipping Name: Flammable Liquid (NOS) Ethanol.	
	<ul> <li>TDG/UN Shipping Names: Flammable Liquid (NOS) Ethanol.</li> </ul>	
DOT hazard class	• UN Number: 1993	



Hazard Class: 3.Packing Group: ||

• TDG Exemption: Not regulated.

• Label: Flammable Liquid

ATA Class: 3IMDG Class: 3

HMIS Coding Health: 1 Flammability: 3 Reactivity: 0

### **SECTION X** • ECOLOGICAL INFORMATION

<b>Environmental Fate and Distribution</b>	This product is very soluble in water. It has a low
	potential for bioaccumulation. It is expected that
	this product has high mobility in soil
Persistence and Degradation	Biodegradable.
Toxicity	Not established.
Effect of effluent treatment	The product is substantially removed by biological
	treatment processes.

### **SECTION XI** • REGULATORY INFORMATION

### • EC REGULATIONS:

TSCA STATUS: On Toxic Substance Control Inventory.

CERCLA REPORTABLE QUANTITY: None.

SARA TITLE III

Section 302: None.

• Section 311/312: Acute, Flammable.

• Section 313: None.

RCRA STATUS: Not regulated.

### CANADIAN REGULATIONS:

WHMIS Classification: B2, D1A, D2B.



Anamet Inc. declines all warranties of description, merchantability or fitness for a particular purpose or any other warranties expressed or implied. All information contained in this data sheet result from figures supplied by the merchant and/or other recognized technical sources. Although this information is presumed to be complete and exact, Anamet Inc. does not guaranty any of the claims expressed or implied. Since the use of this product is not supervised by Anamet Inc., users are therefore responsible to verify if the product is designed for their particular application. They must also assume all risks associated with its use, manipulation and the elimination of the product as well as those arising from the publication, utilization or exactitude of the information contained in the present data sheet. This information pertains only of the product referred to in this specific data sheet and does not apply to its use in combination with other products or in any other process. In no event Anamet Inc. will be liable for incidental or consequential damages resulting from the use or misuse of this product.



### **TERMINOLOGY**

**ACGIH:** American Conference of Governmental Industrial Hygienists

**CAS:** Chemical Abstract Service

**CFR:** Code of Federal Regulations (Transportation in U.S.A.)

**DOT:** Department of Transportation (USA)

**DSL:** Domestic Substance List

IARC: International Agency for Research and Cancer

LC: Lethal Concentration

LD: Lethal Dosage

**MSHA:** Mine Safety and Health Administration (USA)

NIOSH: National Institute for Occupational Safety and Health (USA)

**NTP:** National Toxicology Program (U.S.A.)

**OSHA:** Occupational Safety and Health Administration (USA)

**PEL:** Permissible exposure limit.

**STEL:** Short term exposure limit.

**TDG:** Transportation of Dangerous Goods

**TLV:** Threshold limit value.

**TSCA:** Toxic Substances Control Act

**TWA:** Time-weighted average

**USEPA:** United States Environmental Protection Agency

**WHMIS:** Workplace Hazardous Materials Information System

Revised date: January 2012

SAFETY DATA SHEET / DIAMEXT