MATERIAL SAFETY DATA SHEET • MSDS





SECTION 1 • PRODUCT IDENTIFICATION

TRADE NAME **ALUMINA SUSPENSION**

(DEAGGLOMERATED FORM)

ANAMET PRODUCT NUMBER 560XS-X

CHEMICAL NAME

MANUFACTURER / SUPPLIER'S NAME **ANAMET ADDRESS** P.O. Box 538

BOUCHERVILLE, QUÉBEC, J4B 6Y2

TELEPHONE NO. (450) 646-1290

EMERGENCY TELEPHONE NO. CANUTEC: (613) 996-6666

SECTION II • COMPOSITION / INFORMATION ON COMPONENTS

Chemical characterization Description	CAS number	%	OSHA PEL	ACGIH TLV
Alumina Oxide. (Al ₂ O ₃)	1344-28-1		10 mg/m ³	10 mg/m ³
Water				

NOTE: Ingredients are listed on the TSCA Inventory of Chemical Substances. Those not identified are non-hazardous.

SECTION III • PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling point in °C	100 °C	Vapor pressure	Not
	(212°F)	(mm Hg)	available.
Melting point in ^o C	Not astablished	Vapor density (Air = 1)	Not
	inot established		available.
Specific Gravity	1.20	Evaporation rate	Not
(Water = 1)	1.20	(Butyl acetate= 1)	available.
Solubility in water	Soluble.		
Appearance and odor	White liquid with	negligible odor	

Revised date: January 2015 SAFETY DATA SHEET / ALUMINA SUSPENSION

(DEAGGLOMERATED FORM)





SECTION IV •	FIRE / EXPLOSION HAZARD

Flash point	Non flammab	ole.		
Flammable limits	UPPER	None.	LOWER	None.
Extinguishing medium	Dry chemical	, foam, carbon dio	xide, water fog	
Special fire fighting	Fire fighters	should wear full-	face, self-cont	ained breathing
procedures	apparatus ar	nd impervious pro	tective clothing	g. Fire fighters
	should avoid	inhaling any comb	ustion product	S.
Unusual fire / explosion	Not establish	ed.		

SECTION V • *REACTIVITY*

Stability	Stable.
Conditions to avoid:	Not established.
Incompatibility	Not established
Hazardous decomposition products	Not established.
Hazardous Polymerization	Not established.

SECTION VI • TOXYCOLOGICAL PROPERTIES OF PRODUCT

A - SUGGESTED FIRST AID

Eyes	Flush with water for 15 m	inutes. If irritation occurs, seek medical aid.		
Skin	Wash with soap and wate	Wash with soap and water. If irritation occurs, seek medical aid.		
Inhalation	Remove to fresh air. See	ek medical aid.		
Ingestion	If material is swallowed, g	get immediate medical attention.		
B - TOXICO	LOGICAL INFORMATION			
	PRIMARY ENTRY ROU	TES: Inhalation, skin and eye contact.		
 SHORT TI 	ERM EXPOSURE			
Eyes	May cause irritation.			
Skin	Acute overexposure causes skin irritation.			
Inhalation	Spray mist or dry dust may cause physical irritation to upper respiratory tract.			
	In dry form this material is a nuisance dust and as such does not produce			
	significant organic disease or toxic effect with reasonable exposure.			
Ingestion	gestion May cause irritation of the digestive tract.			
• LONG TE	RM EXPOSURE			
Carcinogen	icity	Not established.		
Teratogenio	ity and other effects	Not established.		

Not established.

Prolonged contact may cause skin abrasion.

May slightly be irritating to the respiratory tract.

Synergistic materials Revised date: January 2015

Respiratory tract sensitization

Skin Sensitization

Page 2 of 5

MATERIAL SAFETY DATA SHEET • MSDS





SECTION VII • PRECAUTIONARY INFORMATION PERSONAL PROTECTIVE MEASURES

	Recommend standard face and eye protection at all times while using the product.
Respiratory protection	As needed, use approved dust respirator (OSHA CFR1910.134)
Ventilation	Do not use without adequate ventilation
Hearing	As needed in accordance with OSHA 1910-215.
HMIS Hazard Ratings	Health: 1 Flammability: 0 Reactivity: 0

SECTION VIII	• SAFETY PRECAUTIONS IN CASE OF LEAKS OR SPILLS
Spill or	Ventilate area of leak or spill. Small spill can be picked up with vermiculite
leak procedure	or other absorbent, noncombustible material. Contain liquid to prevent
	further contamination of soil, surface water or ground water.
Waste disposal	Disposal should be in accordance with local, state, or national legislation.
-	Incinerate under approved controlled conditions.

SECTION IX • STORAGE AND HANDLING

OLOTION IX OTON	AUL AND HANDLING
Storage	Store in cool, well ventilated dry area.
Handling	Avoid contact with skin and eyes.
Shipping classification	Dot Shipping Name: Not regulated.
	TDG/UN Shipping Names: Not regulated.
DOT hazard class	UN Number: Not regulated.
	Hazard Class: Not regulated.
	Packing Group: Not regulated.
	TDG Exemption: Not regulated.
	Label: Not regulated.
	ATA Class: Not regulated.
	IMDG Class: Not regulated.
HMIS Coding	Health: 1 Flammability: 0 Reactivity: 0

SECTION X • ECOLOGICAL INFORMATION

Environmental Fate & Distribution	This product is soluble in water and may spread in
	water systems.
Persistence and Degradation	Not established.

Revised date: January 2015





Toxicity	Not established.
Effect of effluent treatment	Not established.

SECTION XI • REGULATORY INFORMATION

• EC REGULATIONS:

TSCA STATUS: On Toxic Substance Control Inventory.

CERCLA REPORTABLE QUANTITY: None.

SARA TITLE III

Section 302: None.

Section 311/312: Chronic.

Section 313: Alumina.

Fibrous form.

RCRA STATUS: Not regulated.

CANADIAN REGULATIONS:

WHMIS Classification: D2B.

Anamet Inc. declines all warranties of description, merchantability or fitness for a particular purpose or any other warranties expressed or implied. All information contained in this data sheet result from figures supplied by the merchant and/or other recognized technical sources. Although this information is presumed to be complete and exact, Anamet Inc. does not guaranty any of the claims expressed or implied. Since the use of this product is not supervised by Anamet Inc., users are therefore responsible to verify if the product is designed for their particular application. They must also assume all risks associated with its use, manipulation and the elimination of the product as well as those arising from the publication, utilization or exactitude of the information contained in the present data sheet. This information pertains only of the product referred to in this specific data sheet and does not apply to its use in combination with other products or in any other process. In no event Anamet Inc. will be liable for incidental or consequential damages resulting from the use or misuse of this product.

Revised date: January 2015 SAFETY DATA SHEET / ALUMINA SUSPENSION (DEAGGLOMERATED FORM)



ANAMET

TERMINOLOGY

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Service

CFR: Code of Federal Regulations (Transportation in U.S.A.)

DOT: Department of Transportation (USA)

DSL: Domestic Substance List

IARC: International Agency for Research and Cancer

LC: Lethal Concentration

LD: Lethal Dosage

MSHA: Mine Safety and Health Administration (USA)

NIOSH: National Institute for Occupational Safety and Health (USA)

NTP: National Toxicology Program (U.S.A.)

OSHA: Occupational Safety and Health Administration (USA)

PEL: Permissible exposure limit.

STEL: Short term exposure limit.

TDG: Transportation of Dangerous Goods

TLV: Threshold limits value.

TSCA: Toxic Substances Control Act

TWA: Time-weighted average

USEPA: United States Environmental Protection Agency

WHMIS: Workplace Hazardous Materials Information System

Revised date: January 2015

SAFETY DATA SHEET / ALUMINA SUSPENSION (DEAGGLOMERATED FORM)

Page 5 of 5