MATERIAL SAFETY DATA SHEET · MSDS





SECTION 1 • PRODUCT IDENTIFICATION

COLLOIDAL SILICA SUSPENSION TRADE NAME

ANAMET PRODUCT NUMBER 5904S-X

CHEMICAL NAME

MANUFACTURER / SUPPLIER'S NAME **ANAMET ADDRESS** P.O. Box 538

BOUCHERVILLE, QUÉBEC, J4B 6Y2

TELEPHONE NO. (450) 646-1290

EMERGENCY TELEPHONE NO. CANUTEC: (613) 996-6666

SECTION II • COMPOSITION / INFORMATION ON COMPONENTS

Chemical characterization Description	CAS number	%	OSHA PEL	ACGIH TLV
Silicon dioxide or silica. (NIOSH registry # VV7322000)	7631-86-9	<50	.06 mg/m ³	10 mg/m ³

NOTE: Ingredients are listed on the TSCA Inventory of Chemical Substances. Those not identified are non-hazardous.

SECTION III • PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling point in °C	100 °C (212°F)	Vapor pressure (mm Hg)	25 mm Hg at 25 °C (77°F) 48 mm Hg at 38 °C (100.4°F)
Melting point in ^o C	Not applicable.	Vapor density (Air = 1)	Not applicable.
Specific Gravity (Water = 1)	1.2	Evaporation rate (Butyl acetate= 1)	< 1
Solubility in water	Soluble.		
Appearance and odor	Color coded liquid / Odorless.		

Revised date: January 2015 SAFETY DATA SHEET / COLLOIDAL SILICA SUSPENSION







SECTION IV •	FIRF / FYPI	OSION HAZARD
SECTION V	FIRE / EAFL	.USIUN NAZAKU

Flash point	None.			
Flammable limits	UPPER	None.	LOWER	None.
Extinguishing medium	Dry chemical, foam, carbon dioxide, water fog.			
Special fire fighting	Fire fighters should wear full-face, self-contained breathing			
procedures	apparatus and impervious protective clothing. Fire fighters should			
	avoid inhaling any combustion products.			
Unusual fire / explosion	Not established	d.		

SECTION V • *REACTIVITY*

Stability	Stable.
Conditions to avoid	Freezing temperature
Incompatibility	May react with strong acids
Hazardous decomposition products	None.
Hazardous Polymerization	Will not occur.

SECTION VI • TOXICOLOGICAL PROPERTIES OF PRODUCT

A - SUGGESTED FIRST AID

Eyes	Flush with water for 15	minutes. If irritation occurs, seek medical aid.	
Skin	Wash with soap and water. If irritation occurs, seek medical aid.		
Inhalation	Remove to fresh air. Seek medical aid.		
Ingestion	If material is swallowed, get immediate medical attention.		
B - TOXICO	LOGICAL INFORMATION)N	
PRIMARY ENTRY ROUTES: Inhalation, ingestion, skin and eye contact.			
▼ SHORT T	▼ SHORT TERM EXPOSURE ▼		
Eyes	May cause irritation.		
Skin	Acute overexposure causes skin irritation.		
Inhalation	Spray mist or dry dust may cause physical irritation to upper respiratory tract. In dry		
	form this material is a nuisance dust and as such does not produce significant organic		
	disease or toxic effect with reasonable exposure.		
Ingestion	May cause irritation of the digestive tract.		
▼ LONG TERM EXPOSURE ▼			
Carcinogeni	Carcinogenicity Not established.		
Teratogenic	Teratogenicity and other effects Not established.		
Skin sensitiz	Skin sensitization Prolonged contact may cause skin abrasion.		
Respiratory	Respiratory tract sensitization May slightly be irritating to the respiratory tract.		
Synergistic	Materials	Not established.	

Revised date: January 2015 SAFETY DATA SHEET / COLLOIDAL SILICA SUSPENSION

MATERIAL SAFETY DATA SHEET • MSDS





SECTION VII • PRECAUTIONARY INFORMATION PERSONAL PROTECTIVE MEASURES

Recommend standard face and eye protection at all times while		
using the product.		
1 As needed, use approved dust respirator (OSHA CFR1910.134)		
Do not use without adequate ventilation		
As needed in accordance with OSHA 1910-215.		
Health: 1 Flammability: 0 Reactivity: 0		

SECTION VIII • SAFETY PRECAUTIONS IN CASE OF LEAKS OR SPILLS

<u> </u>	<u> </u>	
Spill or	Ventilate area of leak or spill. Small spill can be picked up with vermiculite	
leak procedure	or other absorbent, noncombustible material. Contain liquid to prevent	
	further contamination of soil, surface water or ground water.	
Waste disposal	Disposal should be in accordance with local, state, or national legislation.	
	Incinerate under approved controlled conditions.	

SECTION IX • STORAGE AND HANDLING

Storage	Store in cool, well ventilated dry area.		
Handling	Avoid contact with skin and eyes.		
Shipping classification	Dot Shipping Name: Not regulated.		
	TDG/UN Shipping Names: Not regulated.		
DOT hazard class	UN Number: Not regulated.		
	Hazard Class: Not regulated.		
	Packing Group: Not regulated.		
	TDG Exemption: Not regulated.		
	Label: Not regulated.		
	ATA Class: Not regulated.		
	IMDG Class: Not regulated.		
HMIS Coding	Health: 1 Flammability: 0 Reactivity: 0		

SECTION X • ECOLOGICAL INFORMATION

Environmental fate and distribution	Not established.
Persistence and degradation	Not established.
Toxicity	Not established.

Revised date: January 2015 SAFETY DATA SHEET / COLLOIDAL SILICA SUSPENSION

MATERIAL SAFETY DATA SHEET • MSDS



Effect of effluent treatment Not established.

SECTION XI • REGULATORY INFORMATION

• EC REGULATIONS:

TSCA STATUS: On Toxic Substance Control Inventory. CERCLA REPORTABLE QUANTITY: None.

SARA TITLE III

Section 302: None.Section 311/312: None.

Section 313: None.

RCRA STATUS: Not regulated.

CANADIAN REGULATIONS:

WHMIS Classification: Not regulated.

Anamet Inc. declines all warranties of description, merchantability or fitness for a particular purpose or any other warranties expressed or implied. All information contained in this data sheet result from figures supplied by the merchant and/or other recognized technical sources. Although this information is presumed to be complete and exact, Anamet Inc. does not guaranty any of the claims expressed or implied. Since the use of this product is not supervised by Anamet Inc., users are therefore responsible to verify if the product is designed for their particular application. They must also assume all risks associated with its use, manipulation and the elimination of the product as well as those arising from the publication, utilization or exactitude of the information contained in the present data sheet. This information pertains only of the product referred to in this specific data sheet and does not apply to its use in combination with other products or in any other process. In no event Anamet Inc. will be liable for incidental or consequential damages resulting from the use or misuse of this product.

Revised date: January 2015 SAFETY DATA SHEET / COLLOIDAL SILICA SUSPENSION Page 4 of 5



ANAMET

TERMINOLOGY

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Service

CFR: Code of Federal Regulations (Transportation in U.S.A.)

DOT: Department of Transportation (USA)

DSL: Domestic Substance List

IARC: International Agency for Research and Cancer

LC: Lethal Concentration

LD: Lethal Dosage

MSHA: Mine Safety and Health Administration (USA)

NIOSH: National Institute for Occupational Safety and Health (USA)

NTP: National Toxicology Program (U.S.A.)

OSHA: Occupational Safety and Health Administration (USA)

PEL: Permissible exposure limit.

STEL: Short term exposure limit.

TDG: Transportation of Dangerous Goods

TLV: Threshold limits value.

TSCA: Toxic Substances Control Act

TWA: Time-weighted average

USEPA: United States Environmental Protection Agency

WHMIS: Workplace Hazardous Materials Information System

Revised date: January 2015 SAFETY DATA SHEET / COLLOIDAL SILICA SUSPENSION Page 5 of 5