### MATERIAL SAFETY DATA SHEET · MSDS



**SECTION 1 • PRODUCT IDENTIFICATION** 

TRADE NAME CERIUM SUSPENSION

ANAMET PRODUCT NUMBER 59XXCS-X

CHEMICAL NAME

MANUFACTURER / SUPPLIER'S NAME ANAMET ADDRESS P.O. Box 538

BOUCHERVILLE, QUÉBEC, J4B 6Y2

**TELEPHONE NO.** (450) 646-1290

EMERGENCY TELEPHONE NO. CANUTEC: (613) 996-6666

**SECTION II • COMPOSITION / INFORMATION ON COMPONENTS** 

Chemical characterization Description	CAS number	%	OSHA PEL	ACGIH TLV
Cerium Suspension	1306-38-3	10-25	10	10

**NOTE:** Ingredients are listed on the TSCA Inventory of Chemical Substances. Those not identified are non-hazardous.

**SECTION III • PHYSICAL / CHEMICAL CHARACTERISTICS** 

Boiling point in <sup>o</sup> C	100 °C	Vapor pressure	Not
	(212°F)	(mm Hg)	available.
Melting point in <sup>o</sup> C	0 ℃	Vapor density (Air = 1)	Not
	(32°F)		available.
Specific Gravity	1.20	Evaporation rate	Not
(Water = 1)	1.20	(Butyl acetate= 1)	available.
Solubility in water	Soluble.		
Appearance and odor	Tan to light bro	own, odorless	

Revised date: January 2015 SAFETY DATA SHEET / CERIUM SUSPENSION





SECTION IV • FIRE / EXPL	LOSION HAZARD
--------------------------	---------------

Non flammable.			
UPPER	None.	LOWER	None.
Dry chemical	, foam, carbon dio	xide, water fog	J.
Fire fighters should wear full-face, self-contained breathing			
apparatus and impervious protective clothing. Fire fighters			
should avoid inhaling any combustion products.			
Not establish	ed.		
	UPPER Dry chemical Fire fighters apparatus ar should avoid	UPPER None.  Dry chemical, foam, carbon dio: Fire fighters should wear full- apparatus and impervious pro-	UPPER None. LOWER  Dry chemical, foam, carbon dioxide, water fog Fire fighters should wear full-face, self-contapparatus and impervious protective clothin should avoid inhaling any combustion product

#### **SECTION V** • *REACTIVITY*

Stability	Stable.
Conditions to avoid:	Not established.
Incompatibility	Not established
Hazardous decomposition products	Not established.
Hazardous Polymerization	Not established.

#### **SECTION VI • TOXYCOLOGICAL PROPERTIES OF PRODUCT**

# A - SUGGESTED FIRST AID

A - 3000E	TILD I INOT AID		
Eyes	Flush with water for 15 m	ninutes. If irritation occurs, seek medical aid.	
Skin	Wash with soap and water. If irritation occurs, seek medical aid.		
Inhalation	Remove to fresh air. See	ek medical aid.	
Ingestion	If material is swallowed,	get immediate medical attention.	
B - TOXICOLOGICAL INFORMATION			
	PRIMARY ENTRY ROU	TES: Inhalation, skin and eye contact.	
<ul> <li>SHORT TE</li> </ul>	RM EXPOSURE		
Eyes	May cause irritation.		
Skin	Acute overexposure causes skin irritation.		
Inhalation	Dry dust may cause physical irritation to upper respiratory tract. In dry form		
	this material is a nuisance dust and as such does not produce significant		
	organic disease or toxic effect with reasonable exposure.		
Ingestion	ngestion May cause irritation of the digestive tract.		
<ul> <li>LONG TER</li> </ul>	RM EXPOSURE		
Carcinogeni	Carcinogenicity Not established.		
Teratogenic	Teratogenicity and other effects Not established.		
Skin Sensiti	zation	Prolonged contact may cause skin abrasion.	
Respiratory	Respiratory tract sensitization May slightly be irritating to the respiratory tract.		

Revised date: January 2015 SAFETY DATA SHEET / CERIUM SUSPENSION

### MATERIAL SAFETY DATA SHEET • MSDS



Synergistic materials	Not established.
· ·	

## **SECTION VII • PRECAUTIONARY INFORMATION PERSONAL PROTECTIVE MEASURES**

Eyes, face & hands	Recommend standard face and eye protection at all times while		
	using the product.		
Respiratory protection	As needed, use approved dust respirator (OSHA CFR1910.134)		
Ventilation	Do not use without adequate ventilation		
Hearing	As needed in accordance with OSHA 1910-215.		
<b>HMIS Hazard Ratings</b>	Health: 1 Flammability: 0 Reactivity: 0		

<b>SECTION VIII</b>	SAFETY PRECAUTIONS IN CASE OF LEAKS OR SPILLS
Spill or	Ventilate area of leak or spill. Small spill can be picked up with vermiculite
leak procedure	or other absorbent, noncombustible material. Contain liquid to prevent
	further contamination of soil, surface water or ground water.
Waste disposal	Disposal should be in accordance with local, state, or national legislation.
-	Incinerate under approved controlled conditions.

#### **SECTION IX** • STORAGE AND HANDLING

Storage	Store in cool, well ventilated dry area.
Handling	Avoid contact with skin and eyes.
Shipping classification	Dot Shipping Name: Not regulated.
	<ul> <li>TDG/UN Shipping Names: Not regulated.</li> </ul>
DOT hazard class	UN Number: Not regulated.
	Hazard Class: Not regulated.
	Packing Group: Not regulated.
	TDG Exemption: Not regulated.
	Label: Not regulated.
	ATA Class: Not regulated.
	IMDG Class: Not regulated.
HMIS Coding	Health: 1 Flammability: 0 Reactivity: 0

#### **SECTION X** • ECOLOGICAL INFORMATION

<b>Environmental Fate &amp; Distribution</b>	This product is soluble in water and may spread in
	water systems.

SAFETY DATA SHEET / CERIUM SUSPENSION





Persistence and Degradation	Not established.
Toxicity	Not established.
Effect of effluent treatment	Not established.

#### **SECTION XI** • REGULATORY INFORMATION

#### • EC REGULATIONS:

TSCA STATUS: On Toxic Substance Control Inventory.

CERCLA REPORTABLE QUANTITY: None.

SARA TITLE III

• Section 302: None.

Section 311/312: Chronic.

Section 313: Alumina.

• Fibrous form.

RCRA STATUS: Not regulated.

### CANADIAN REGULATIONS:

WHMIS Classification: D2B.

Anamet Inc. declines all warranties of description, merchantability or fitness for a particular purpose or any other warranties expressed or implied. All information contained in this data sheet result from figures supplied by the merchant and/or other recognized technical sources. Although this information is presumed to be complete and exact, Anamet Inc. does not guaranty any of the claims expressed or implied. Since the use of this product is not supervised by Anamet Inc., users are therefore responsible to verify if the product is designed for their particular application. They must also assume all risks associated with its use, manipulation and the elimination of the product as well as those arising from the publication, utilization or exactitude of the information contained in the present data sheet. This information pertains only of the product referred to in this specific data sheet and does not apply to its use in combination with other products or in any other process. In no event Anamet Inc. will be liable for incidental or consequential damages resulting from the use or misuse of this product.

Revised date: January 2015 SAFETY DATA SHEET / CERIUM SUSPENSION





#### **TERMINOLOGY**

**ACGIH:** American Conference of Governmental Industrial Hygienists

**CAS:** Chemical Abstract Service

**CFR:** Code of Federal Regulations (Transportation in U.S.A.)

**DOT:** Department of Transportation (USA)

**DSL:** Domestic Substance List

IARC: International Agency for Research and Cancer

LC: Lethal Concentration

LD: Lethal Dosage

**MSHA:** Mine Safety and Health Administration (USA)

NIOSH: National Institute for Occupational Safety and Health (USA)

**NTP:** National Toxicology Program (U.S.A.)

**OSHA:** Occupational Safety and Health Administration (USA)

**PEL:** Permissible exposure limit.

**STEL:** Short term exposure limit.

**TDG:** Transportation of Dangerous Goods

**TLV:** Threshold limits value.

**TSCA:** Toxic Substances Control Act

**TWA:** Time-weighted average

**USEPA:** United States Environmental Protection Agency

**WHMIS:** Workplace Hazardous Materials Information System

Revised date: January 2015

SAFETY DATA SHEET / CERIUM SUSPENSION

Page 5 of 5